

A brand of passion



Performance to conquer more

Lubricants product catalog

DIESEL-ELECTRIC

NATIONAL DISTRIBUTORS
0860 003 227 | www.diesel-electric.co.za



AUTHORISED DISTRIBUTOR

Advanced Technology Lubricants

A brand of passion

ELF has a strong expertise in lubricants and is deeply engaged in high-end cleaner lubrication for mobility. Our competitive edge is our consistent R&D efforts towards making technical and technological innovations. That is how we can continue producing high performance and effective oils designed to protect engines.



Fuel Economy Lubricants

ELF's Fuel Economy lubricants improve vehicle and equipment performance while significantly reducing environmental impact and running costs. (i.e. lower fuel consumption, fewer CO2 emissions, more engine protection, less wear)



Low SAPS Lubricants

ELF low SAPS lubricants cater to the needs of the most up-to-date engines, enabling their depolluting systems to operate at maximum capacity to reduce environmental impact. (i.e. low levels of sulphated ash, phosphorus and sulphur (SAPS))



From the racetrack to your own car's engine, ELF is recognized as a partner of choice when it comes to lubricants. We celebrate every victory with ELF, and we take great pride in our lubricants product range because the team is committed to serving you with highly technological products for all types of applications to meet your needs and expectations. This Lubricant guide is designed to help you better understand our product ranges and to make the best choice for your vehicle.

Core Values

Creating Exceptional Drive Exhilarates Us

ELF has found success globally by remaining true to our core values. We lead every project with Passion, Expertise, and Premium, with the goal of making every drive a real moment of pleasure.

PASSION

Drawing from our passion for motorsport, we want to integrate the same excellence, adventure, and athleticism into every drive to give customers heightened experiences that stir emotions and create sensations typically felt only on a racetrack.

EXPERTISE

Fundamentally inspired by R&D, we strive to be specialists in our field by constantly anticipating, exploring, innovating, and daring to be different.

PREMIUM

We are strongly anchored in the public consciousness in many markets as a brand of status, prestige, and elegance. Our dignified and restrained approach to developing high-value products has attracted a community of driving enthusiasts.

Label Architecture

Sub-segments
Identification Colour

ELF Logo

Range Name

Denomination

Viscosity/Grade

Specific Characteristic
Of The Product

QR Code

Valorization Pictogram/
International Specification



ELF Logo

Range Name

Denomination

Viscosity Grade

Technology

Homologation And
International Specification

Product Description

Sub-segments
Identification Colour

Capacity



Front Label Architecture

The valorization pictograms placed in the area provided for this purpose from left to right at the bottom on the base line of capacity.


Product information is aligned to the right with one piece of information on top of the other.

Back Label Architecture

The back of the label is composed of 3 big areas


EVOLUTION FULL-TECH PRODUCTS

Latest generation technology and ultimate performance
Recent car models and demanding technical requirements

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
EVOLUTION FULL-TECH VSX	0W-20	Synthetic Technology	ACEA C5	VW 508.00/509.00, Porsche C20		 
 EVOLUTION FULL-TECH FEX	5W-20	Synthetic Technology	ACEA C5 API SN/CF	FORD WSS-M2C948-B STJLR.03.5004		
EVOLUTION FULL-TECH FE	5W-30	Synthetic Technology	ACEA C4	RN0720, MB-Approval 226.51 MB-Approval 229.51	Fiat 9.55535-S4	 
EVOLUTION FULL-TECH LLX	5W-30	Synthetic Technology	ACEA C3	VW 504.00 / 507.00, BMW LL-04, MB-Approval 229.51 (back-compatible to 229.31) Porsche C30		
EVOLUTION FULL-TECH MSX	5W-30	Synthetic Technology	ACEA C3 API SN PLUS / CF	BMW LL-04, MB-Approval 229.52, OPEL-VAUXHALL OV0401547	GM Dexos 2, VW 505.01 Suitable for KIA	
EVOLUTION FULL-TECH LSX	5W-40	Synthetic Technology	ACEA C3 API SN / CF	MB-Approval 229.51, PORSCHE A40, VW 505.01	Fiat 9.55535-S2, FORD-WSS-M2C917-A GM Dexos 2	

EVOLUTION 900 PRODUCTS

High protection and ultimate performance
Recent car models and demanding technical requirements

EVOLUTION 900 SXR	5W-30	Synthetic Technology	ACEA A5/B5 API SL/CF	RN0700 (except 2.0 16V Renault Sport, 2.0 T Renault Sport, V6 Renault Sport) FORD WSS-M2C913-D (back-compatible FORD WSS-M2C913-C), STJLR 03.5003		
EVOLUTION 900 SXR	5W-40	Synthetic Technology	ACEA A3/B4 API SN/CF	RN0710 / RN0700, MB-Approval 229.5 PORSCHE A40, VW 502.00 / VW 505.00 PSA B71 2296	FIAT 9.55535-M2, CHRYSLER MS-12991	

EVOLUTION 700 PRODUCTS

Superior protection and reliability
Recent car models and demanding technical requirements



EVOLUTION 700 STI	10W-40	Semi Synthetic-Based Technology	ACEA A3 / B4 API SN / CF	VW 501.01 / 505.00, RN0700/0710 PSA B71 2300 (back-compatible B71 2294)	MB-229.3, FIAT 9.55535-G2	
--------------------------	--------	---------------------------------	-----------------------------	--	------------------------------	--

EVOLUTION 500 PRODUCTS

Extra protection and reliability
A part of the premium range performances for older cars

EVOLUTION 500 TS	20W-50	Mineral Technology	ACEA A3 / B3 API SL / CF	MB-229.1, VW 501.01 / 505.00		
-------------------------	--------	--------------------	-----------------------------	---------------------------------	--	--


PERFORMANCE PRO HEAVY DUTY PRODUCTS

COMMERCIAL NAMES	VISCOCITY GRADES	TECHNOLOGY	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	FUEL ECONOMY/ LOW SAPS
PERFORMANCE PRO 1000	15W-40	Mineral Technology	ACEA E7, E9 API CK-4/CJ-4/CI-4+/ CI-4/CH-4/SN	Cummins CES 20086 DDC DFS 93K222 Mack EO-S 4.5 MB-Approval 228.31 Renault Trucks RLD-3 Volvo VDS-4.5 FORD WSS-M2C171-F1	DAF IVECO	
PERFORMANCE PRO 900	10W-40	Synthetic-Based Technology	ACEA E6, E7, E9 API CJ-4/CI-4/CH-4	Mack EO-O Premium Plus MB-Approval 228.51 Renault Trucks RLD-3 Volvo VDS-4 ZF TE-ML 23A	Cummins CES 20081 DAF, IVECO TLS E9 MAN M 3477/M 3271-1	
PERFORMANCE PRO 700	15W-40	Mineral Technology	ACEA E7 API CI-4/CH-4/SL	Cummins CES 20078 Mack EO-N MB-Approval 228.3 Volvo VDS-3 Renault Trucks RLD-2	MAN M 3275 Caterpillar ECF-1-A, DAF SCANIA, IVECO TLS E9 ISUZU Recommended Lubricant (2020)	



MANUAL TRANSMISSION TRANSELF PRODUCTS

COMMERCIAL NAMES	VISCOCITY GRADES	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	SUITABLE FOR	FUEL ECONOMY/ LOW SAPS
TRANSELF SYN NFX	SAE 75W	API GL-4	RENAULT/NISSAN Sx, Jxx, TLx, NDx, NDk1, Pxx, DBx transmissions			
TRANSELF SYN FE	75W-90	API GL-4/GL-5/MT-1 SAE J2360	MACK GO-J Plus MAN 341 type Z-2/342 type S-1 SCANIA STO 1:0 VOLVO Trucks 97312 ZF TE-ML 02B/05A/12L/12N/ 16F/17B/19C/21B	MIL-L 2105 D/ MIL-PRF 2105 E MB-235.8 DAF IVECO		
TRANSELF LD	75W-80	API GL-4	MAN 341 type E-3/Z-4 ZF TE-ML 01L, 02L, 16K, VOLVO 97307		EATON Europe Manual transmission	
TRANSELF EP	80W-90	API GL-4	MB-235.1 ZF TE-ML 16A, 17A, 19A	MAN 341 type E-1		
TRANSELF TYP B	80W-90	API GL-5	MAN 342 type M-2 ZF TE-ML 12E, 17B, 19B	DAF, IVECO, RENAULT Trucks (level all axles) VOLVO	MAN 341 type M-1	
TRANSELF TYP B	85W-140	API GL-5	ZF TE-ML 05A, 12E, 16D, 21A			



AUTOMATIC TRANSMISSION ELFMATIC PRODUCTS

COMMERCIAL NAMES	APPLICATION	OEM APPROVALS	MEETS THE REQUIREMENTS OF	SUITABLE FOR
* ELFMATIC DIII MV	Automatic Transmission		GM Dexron III G / IIIH. Ford Mercon	ZF TE-ML 14A Allison C4
ELFMATIC LV MV	Automatic Transmission		Honda DW-1 Aisin Warner JWS 3324 Toyota Type WS JASO 1A (M315) Hyundai-Kia NWS-9638 T-5 / SP-IV / SP-IV-RR / SPH-IV	GM Dexron VI. Ford Mercon LV / Mercon SP. Mercedes-Benz MB 236.12/14/41. Bentley: P/N PY112995PA. Audi/Volkswagen: G 052 533, G 055 005 (-A, A2) / G 055 540 (A2). BMW/Mini: P/N 83 22 0 142 516 / 83 22 0 397 114 / 83 22 2 163 514 / 83 22 2 289 720 / 83 22 2 305 397 DSI: H 6-Speed Transmissions. Chrysler/Dodge/Jeep: P/N 05127382AA, 68043742AA. Ford: P/N XT-10-QLV, XT-6-QSP or - DSP GM: P/N 88863400, 88863401, 12378515. Hyundai-Kia: P/N 040000C90SG. Jaguar-Land Rover: P/N TYK500050 Maserati: P/N 231603. Porsche: P/N 000 043 304 00 Saab: P/N 93 165 147
ELFMATIC MV	Automatic Transmission		Aisin Warner JWS 3309 / 3317 Chrysler/Dodge/Jeep ATF +3 / +4 Hyundai-Kia SP-II/III JASO 1A (M315) Toyota D-II / T / T-III / T-IV	Ford Mercon / Mercon V / WSS-M2C922-A1. GM Dexron Type A Suffix A / IID/IIIE/IIIG/IIIH. MAN 339 Type A. Mercedes-Benz MB 236.3/9/10/11/91. ZF TE-ML 11A/11B. Audi/Volkswagen: G 052 025 (A2) / G 052 162 (-A1, -A2) / G 052 055 / G 052 990 (A2) / G US 000 162. BMW/Mini: P/N 81229400272/275, 81229407858/859, 83220024249/359, 83220026922, 83220402413, 83220403248, 83227542290, 83229407765, 83229407807 Ford: P/N XT-2-QDX [M], XT-2-QSM [Syn], XT-5-QM or -DM [V], XT-8-QAW [Premium], XT-9-QMM5 [FNR5]. GM: P/N 1940700, 1940767, 21005966, 22717466, 88900925, 9986195. Isuzu: P/N 08200-9001 Jaguar: JLM 20238, JLM 20292, JLM 21044. Mazda: P/N XT-9-QMM5 Porsche: P/N 000 043 204 41, 000 043 205 09, 000 043 205 28, 999 917 547 00 (A2). PSA: P/N Z 000169756. Ssang Yong: DSIH 5M-66 Subaru: P/N K0140Y0700. VCE: 1273,41. Volvo: P/N 1161521 / 1161540 / 1161640
* ELFMATIC DCT MV	Dual Clutch Transmission		Audi/Volkswagen TL 052 182 / TL 052 529 Ford WSS-M2C 936-A Mercedes-Benz MB 236.21	Audi/Volkswagen: DQ250, DQ500, DL501, G 055 529, G 052 182, G 052 529. BMW: P/N 83 22 2 148 578 / 83 22 2 148 579 / 83 22 0 440 214 / 83 22 2 147 477. Citroën: 6DCT451. Ford / Getrag: 6DCT450, 6DCT451, 7DCT300. Mercedes-Benz: F-DCT350, F-DCT500 Volvo: P/N 1161838 / 1161839. Mitsubishi: 6DCT470 Porsche / ZF: 7DT45HL, 7DT45HLA, 7DT45FL, 7DFL, 7DT70HLA, 7DT75, 7DT75A
ELFMATIC CVT	Continuously Variable Transmission	Renault CVT FK/CK/DK		
ELFMATIC G3	Automatic Transmission	Mercedes MB 236.9, Volvo 97341 MAN 339 Type V1/Z1/L1 Voith H55.6335.xx ZF TE-ML 04D/14A	GM Dexron III G / IIIH Ford Mercon	Allison C4

HYDRAULIC OIL

COMMERCIAL NAMES	ISO VG	INTERNATIONAL SPECIFICATIONS	OEM HOMOLOGATIONS
ELFOLNA DS	32, 46, 68	AFNOR NF E48-603 HM, ISO 6743-4 HM, DIN 51524-2 HLP	CINCINNATI MILACRON P68/P69/P70 DENISON HF0/HF1/HF2 (T6 H20C) VICKERS M-2950-S/I-286

OFF-ROAD TRANSMISSION TRACTELF PRODUCTS

COMMERCIAL NAMES	VISCOCITY GRADES	INTERNATIONAL SPECIFICATIONS	OEM APPROVALS	MEETS THE REQUIREMENTS OF	SUITABLE FOR
TRACTELF BF 16		API GL-4	MASSEY FERGUSON: CMS M 1145 / 1143 VOLVO CE: WB 101 ZF: TE-ML 03E / 05F / 06K / 17E	MASSEY FERGUSON: CMS M 1141 / 1135 JOHN DEERE: JDM J 20C. CNH: MAT 3505 / 3509 / 3525 CASE: MS 1206 / 1207 / 1209 NEW HOLLAND: NH 410B / NH 410C. KUBOTA: UDT FORD: M2C 134D / FNHA 2C 201.00 Mc CORMICK: HTX. AGCO/ALLIS: 821 XL	CLAAS / RENAULT AGRICULTURE Tractors: DEUTZ, FENDT, VALTRA, LANDINI, SAME Machines: CATERPILLAR, JCB, KOMATSU - when an UTTO fluid is required.
TRACTORELF ST3	15W-40	ACEA E2 API GL-4 API CF-4/CE/SF	MASSEY FERGUSON: CMS M1145 / M1144 ZF: TE-ML 06B/07B	Engines: FORD M2C 159B3, MASSEY FERGUSON CMS M1139 JOHN DEERE, JDM J27. Transmissions: JOHN DEERE, JDM J20A/C, FORD M2C86A, M2C134D, FNHA 2C 201.00 MASSEY FERGUSON CMS M1127A, M1135 Automatic Transmissions: GM Allison C4	



GAUTENG**Germiston:**

t: 011 825 3100/9

f: 011 873 9911

Krugersdorp:

t: 011 953 1710

f: 011 953 1716

Pretoria:

t: 012 327 4810

f: 012 327 4822

Springs: (Automotive)

t: 011 811 6625

f: 011 811 5292

(Power tools)

t: 011 811 6635/7

f: 011 811 6075

Vereeniging:

t: 016 440 2000

f: 016 421 2861

Wynberg:

t: 011 531 7600

f: 011 887 1711

FREE STATE**Bethlehem:**

t: 058 303 5535/7

f: 058 303 6871

Bloemfontein:

t: 051 404 9999

f: 051 430 5628

Welkom:

t: 057 355 3304

f: 057 396 4145

KWAZULU NATAL**Durban:**

t: 031 569 0900

f: 086 584 4395

Newcastle:

t: 034 312 6845

f: 034 312 6845

Pietermaritzburg:

t: 033 345 1411

f: 033 345 1411

LIMPOPO**Polokwane:**

t: 015 292 1062

f: 015 292 0748

MPUMALANGA**Mbombela:**

t: 013 753 3150

f: 013 753 3154

NORTH WEST**Brits:**

t: 012 252 7351

f: 012 252 3608

Klerksdorp:

t: 018 462 3746

f: 018 462 2145

Lichtenburg:

t: 018 632 6231/3

f: 018 632 2635

Rustenburg:

t: 014 592 8331

f: 014 597 1002

NORTHERN CAPE**Kathu:**

t: 053 723 0036

f: 053 723 0036

EASTERN CAPE**East London:**

t: 043 743 3035/9

f: 043 743 4770

Port Elizabeth:

t: 041 484 4546

f: 041 484 3320

WESTERN CAPE**George:**

t: 044 874 5050

f: 044 874 6966

Montague Gardens:

t: 021 551 2235

f: 021 551 9417

Paarl:

t: 021 872 7995

f: 021 872 7995

Parow:

t: 021 911 0131

f: 021 911 0411

Southern Suburbs (CT):

t: 021 706 5552

f: 021 706 5584

Worcester:

t: 023 347 0504

f: 023 347 3689

NAMIBIA**Oshakati:**

t: +264 65 222242

f: +264 65 222412

Otjiwarongo:

t: +264 67 302838

f: +264 67 303190

Swakopmund:

t: +264 64 402766

f: +264 64 404730

Tsumeb:

t: +264 67 220942

f: +264 67 221482

Walvisbay:

t: +264 64 205841

f: +264 64 204747

Windhoek:

t: +264 61 274200

f: +264 61 224056

